

092/01664 A02

IN THE CLAIMS

Attached is a listing of claims in accordance with 37 C.F.R. §1.121 (Revised Amendment Practice.) Claims 1, 20-22, 32, 44, 49, 54, 62, 79, 87, 91, 101 and 102 have been currently amended, claims 23-31, 33, 69 and 88 have been currently cancelled, and claims 112-135 have been currently added.

1. (Currently Amended) A method of a user interacting with an Internet, comprising:
tracking interactions of the user with an Internet;
analyzing said tracked interactions to determine at least a part of a user profile;
~~transmitting by the user a request for data to an Internet site;~~
~~generating information content of the site to be provided responsive to the request; and~~
~~determining a display format of the generated information content, including at least one~~
~~non-information-content attribute, responsive to the user profile.~~
~~modifying a plurality of future interactions of said user with computers on said Internet,~~
~~responsive to said user profile, by modifying at least one of a presentation of information to said~~
~~user or a functional response of a computer to input from user,~~
~~wherein said plurality of modified interactions comprise interactions with the site content~~
~~of a plurality of unrelated sites.~~
2. (Original) A method according to claim 1, wherein said tracking comprises tracking at a computer at which said user accesses the Internet.
3. (Previously Amended) A method according to claim 1, wherein said tracking comprises tracking at a tracking computer which tracks a plurality of users.
4. (Original) A method according to claim 3, wherein said tracking computer is physically remote from said plurality of sites.
5. (Previously Amended) A method according to claim 1, wherein said analyzing comprises analyzing previously acquired tracking data.
6. (Previously Amended) A method according to claim 1, wherein said analyzing comprises analyzing of currently acquired tracking data.

092/01664 A02

7. (Previously Amended) A method according to claim 1, wherein said user profile is maintained as a virtual personality, which is a complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet.

8. (Original) A method according to claim 7, wherein said virtual personality comprises a persona, which is a static aspect of a personality.

9. (Original) A method according to claim 7, wherein said virtual personality comprises a mood, which is a dynamic aspect of a personality.

10. (Original) A method according to claim 9, wherein said mood comprises a rush mood, which favors fast responses.

11. (Original) A method according to claim 8, wherein said persona comprises a meticulous persona, which favors complete responses.

B1 12. (Previously Amended) A method according claim 7, wherein said personality comprises geographical information.

13. (Previously Amended) A method according to claim 7, wherein said personality comprises demographic information.

14. (Previously Amended) A method according to claim 7, wherein said personality comprises interests and preference information.

15. (Previously Amended) A method according to claim 7, wherein said personality comprises marketing information.

16. (Previously Amended) A method according to claim 7, wherein said personality comprises identification and contact information.

092/01664 A02

17. (Previously Amended) A method according to claim 7, wherein said personality comprises relational information, which defines relations between various aspects of the personality.

18. (Previously Amended) A method according to claim 7, wherein said personality comprises reflective information, which defines how a personality changes and/or interacts with other electronic entities.

19. (Previously Amended) A method according to claim 7, wherein said user selects a particular virtual personality from a plurality of personalities to which to attribute said tracked interactions.

20. (Currently Amended) A method according to claim 1, wherein ~~said future interactions~~ generating the information content comprises searching.

B1 21. (Currently Amended) A method according to claim 1, wherein generating the information content comprises ~~said future interactions comprise~~ providing the data content of a requested page of the site ~~viewing presented data~~.

22. (Currently Amended) A method according to claim 21, wherein determining the display format responsive to the user profile ~~modifying said interactions~~ comprises changing a layout of data.

23-31. (Cancelled)

32. (Currently Amended) A method of virtual personality interaction with an Internet, comprising:

providing a virtual personality, which is a complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet, ~~through which virtual personality an interaction with an Internet is mediated;~~

requesting an interaction, with said Internet, by a user with whom said virtual personality is associated;

identifying at least one prospective site for the interaction, from a plurality of unrelated sites;

092/01664 A02

automatically analyzing a content of said site, by a computer, to determine a match to said virtual personality, the analysis including determination of at least one trait of the site; and

electing to perform said interaction or modifying a performance of said interaction responsive to said analysis.

33. (Cancelled)

34. (Previously Amended) A method according to claim 32, wherein analyzing a content comprises determining an ambiance of said site.

35. (Previously Amended) A method according to claim 32, wherein analyzing comprises analyzing lexicographical characteristics of said site.

36. (Previously Amended) A method according to claim 32, wherein analyzing comprises analyzing graphical characteristics of said site.

B1
37. (Previously Amended) A method according to claim 32, wherein identifying at least one site comprises identifying a plurality of sites.

38. (Original) A method according to claim 37, wherein identifying comprises searching using an Internet search engine.

39. (Previously Amended) A method according to claim 32, wherein said virtual personality comprises a mood, which is a dynamic aspect of a personality.

40. (Previously Amended) A method according to claim 32, wherein said virtual personality comprises a persona, which is a static aspect of a personality.

41. (Previously Amended) A method according to claim 32, wherein said interaction is performed to complement said virtual personality.

42. (Previously Amended) A method according to claim 32, wherein said interaction is performed to match said virtual personality.

092/01664 A02

43. (Original) A method of Internet interaction by a single user, comprising:
selecting, from a remote location, by the user, one of a plurality of virtual personalities available for interaction with a particular site, wherein a virtual personality comprises a complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet; and

interacting with the particular site using the selected virtual personality.

44. (Currently Amended) A method of site ambiance provision, comprising:
requesting an ambiance of an Internet site, said request including an identification of the site; and

determining an ambiance of said site, responsive to said identification; and
responding to said request with at least an indication of said ambiance.

B1 45. (Original) A method according to claim 44, wherein determining an ambiance comprises retrieving said indication of an ambiance from a memory.

46. (Original) A method according to claim 44, wherein determining an ambiance comprises analyzing said site.

47. (Original) A method according to claim 44, wherein determining an ambiance comprises requesting an indication of said ambiance from said site.

48. (Original) A method according to claim 44, wherein determining an ambiance comprises requesting an indication of said ambiance from an ambiance server.

49. (Currently Amended) A virtual personality server, comprising:
a connection to a user, through which said user indicates a desired Internet interaction;
a connection to a WWW site, with which the user interacts, said connection adapted to connect to a plurality of unrelated WWW sites for interaction with by said user; and
a virtual personality adapter, which adapts said interaction by modifying at least one of a presentation of information from said site to said user or a functional response of said site to input from user, utilizing a virtual personality for the user, wherein a virtual personality comprises a

092/01664 A02

complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet,

wherein the virtual personality adapter modifies at least one interaction attribute based on a portion of the virtual personality which does not point out a desired piece of information.

50. (Original) A server according to claim 49, wherein said connection to a user is operable to receive a selection of a particular virtual personality by said user.

51. (Previously Amended) A server according to claim 49, wherein said server modifies said virtual personality responsive to said modified interaction.

52. (Previously Amended) A server according to claim 49, wherein said virtual personality comprises a persona, which is a static aspect of a personality.

B 53. (Previously Amended) A server according to claim 49, wherein said virtual personality comprises a mood, which is a dynamic aspect of a personality.

54. (Currently Amended) A method of virtual personality serving, comprises:
connecting to a WWW site, to request an interaction;
determining, at said WWW site, a desired virtual personality adaptation of said interaction, wherein a virtual personality comprises a complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet; and
completing said interaction, by said WWW site, responsive to said determined virtual personality adaptation, wherein said desired adaptation comprises modifying at least one of an ~~ambiance of presentation of information from~~ said site or a functional response of said site to input.

55. (Original) A method according to claim 54, wherein determining comprises receiving an indication of a desired virtual personality from a virtual personality server.

56. (Original) A method according to claim 55, wherein said virtual personality server is located at a location remote from said WWW site and from a location at which said connection is initiated.

092/01664 A02

57. (Original) A method according to claim 55, wherein said virtual personality server is located at a location from which said connection is initiated.

58. (Original) A method according to claim 54, wherein determining comprises reading virtual personality information from a computer at a location from which said connection is initiated.

59. (Previously Amended) A method according to claim 55, wherein said virtual personality server generates a one-time virtual personality for said interaction.

60. (Previously Amended) A method according to claim 54, wherein said desired virtual personality adaptation comprises a mood-responsive adaptation, wherein a mood is a dynamic aspect of a personality.

61. (Previously Amended) A method according to claim 54, wherein said desired virtual personality adaptation comprises a persona-responsive adaptation, wherein a persona is a static aspect of a personality.

62. (Currently Amended) A method of site matching to a virtual personality, comprising:
providing a list of relevant sites in response to a user request;
analyzing each of said sites to determine a match with said virtual personality, which is a complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet; and
grading said sites responsive to said analysis; and
automatically displaying data from a highest graded site on the list.

63. (Original) A method according to claim 62, wherein providing a list comprises executing a search on an Internet search engine to provide said list.

64. (Original) A method according to claim 62, wherein providing a list comprises retrieving a plurality of matches from a name server.

092/01664 A02

65. (Previously Amended) A method according to claim 62, wherein analyzing comprises analyzing at least one of said sites responsive to a presented ambiance.

66. (Previously Amended) A method according to claim 62, wherein analyzing comprises analyzing at least one of said sites responsive to a presented trait.

67. (Previously Amended) A method according to claim 62, wherein analyzing comprises analyzing a content of at least one of said sites.

68. (Previously Amended) A method according to claim 62, comprising displaying said graded list.

69. (Cancelled)

70. (Original) A method of advertisement personalization, comprising:

Bl determining an instantaneous virtual personality of a human interactor, wherein a virtual personality comprises a complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet, said virtual personality including a mood, which is a dynamic aspect of said personality;

selecting at least one advertisement to match said virtual personality; and
presenting said advertisement to said interactor.

71. (Original) A method according to claim 70, wherein said advertisement is presented through an Internet.

72. (Previously Amended) A method according to claim 70, wherein said virtual personality comprises a persona, which is a static aspect of a personality.

73. (Previously Amended) A method according to claim 70, comprising selecting said virtual personality from a plurality of available virtual personalities.

74. (Previously Amended) A method according to claim 70, wherein said virtual personality is provided by said interactor.

092/01664 A02

75. (Original) A method of WWW site modification, comprising:

detecting at the WWW site a desired interaction from a particular virtual personality, which personality comprises a complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet;

determining a suitable modification of at least one characteristic of said site to match said virtual personality;

responding to said desired interaction with a response indicating a match of said modified characteristic to said virtual personality; and

modifying said site in association with providing said site during said desired interaction to a user associated with said virtual personality.

76. (Original) A method according to claim 75, wherein said modification comprises modifying a display layout.

bl 77. (Previously Amended) A method according to claim 75, wherein said modification comprises modifying a level of detail shown.

78. (Previously Amended) A method according to claim 75, wherein said modification comprises selecting data to be displayed.

79. (Currently Amended) A method of data directory display, comprising:

requesting a display of data from a data directory;

providing, in association with said request, a virtual personality for said request, which personality comprises a complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet; and

displaying said data, with at least one of a level of detail or a spatial layout selected responsive to said virtual personality.

80. (Original) A method according to claim 79, wherein said virtual personality is provided as part of said request.

092/01664 A02

81. (Previously Amended) A method according to claim 79, wherein said displaying comprises filtering.

82. (Original) A method according to claim 79, wherein said displaying comprises sorting.

83. (Original) A method according to claim 79, wherein said displaying comprises controlling a level of detail.

84. (Original) A method according to claim 79, wherein said displaying comprises controlling a spatial layout of said data.

85. (Original) A method of data directory display, comprising:

requesting a search from a search engine, using at least one keyword, which request includes a virtual personality for said request, which personality comprises a complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet;

interpreting said key-word at said search engine, utilizing said virtual personality; and
performing said search request by said search engine, utilizing said interpreted key-word.

86. (Original) A method according to claim 85, wherein said search engine comprises an Internet search engine.

87. (Currently Amended) A method of Internet search, comprising:

a user connecting to an Internet search engine;

providing the search engine with search criteria, by said user;

performing a search for WWW sites by the search engine, utilizing said search criteria, to obtain search results; and

~~processing~~ ~~filtering~~ said search results utilizing personal information associated with said user, by a different computer from the search engine; and

presenting said ~~proccssed~~ ~~filtered~~ search results to said user.

88. (Cancelled)

092/01664 A02

89. (Previously Amended) A method according to claim 87, wherein said personal information is provided using a virtual personality, which comprises a complex of characteristics that distinguishes an electronic person, for the purpose of interacting with an Internet.

90. (Original) A method according to claim 87, wherein said personal information is provided as a non-keyword input to said search engine.

91. (Currently Amended) A method of interacting with a computer, comprising:
providing a software application having a user interface on said computer;
providing an electronic representation of at least part of a user's desired personality; and
said software modifying its interaction with said user, responsive to said representation of said personality.

92. (Original) A method according to claim 91, wherein said software comprises an Internet Browser.

93. (Previously Amended) A method according to claim 91, wherein said software modifies a visual display of said interface.

94. (Previously Amended) A method according to claim 91, wherein said software modifies a behavior of said interface.

95. (Previously Amended) A method according to claim 91, wherein said software modifies a menu length of said interface.

96. (Previously Amended) A method according to claim 91, wherein said software modifies a help level of said software.

97. (Previously Amended) A method according to claim 91, wherein said software modifies a level of detail presented by said software.

98. (Previously Amended) A method according to claim 91, wherein said software modifies a display format of said software.

092/01664 A02

99. (Previously Amended) A method according to claim 91, wherein said software modifies an image quality of said software.

100. (Previously Amended) A method according to claim 91, wherein said software modifies a response time of said software.

101. (Currently Amended) A method of utilizing an electronic representation of a user's desired personality, comprising:

providing~~storing~~ said representation on a portable computer-readable storage media;
reading the representation by a terminal; and
interacting with a computer using said representation read by the terminal, wherein said representation mediates the interaction.

102. (Currently Amended) A method according to claim 101, wherein said computer ~~is~~comprises connected to the terminal ~~a remote computer connected to an~~ through the Internet.

Bl 103. (Previously Amended) A method according to claim 101, wherein said computer comprises a controller of an automated store.

104. (Original) A method according to claim 103, wherein said mediation comprises varying a range of offered selection of products.

105. (Previously Amended) A method according to claim 101, wherein said media comprises a diskette.

106. (Previously Amended) A method according to claim 101, wherein said media comprises a smart card.

107. (Previously Amended) A method according to claim 101, wherein said media comprises printed optically readable codes.

092/01664 A02

108. (Previously Amended) A method according to claim 91, wherein said representation is generated by tracking a plurality of interactions of said user with an Internet.

109. (Previously Amended) A method according to claim 91, wherein said representation comprises a representation of a persona, which is a static aspect of a personality.

B1
110. (Previously Amended) A method according to claim 91, wherein said representation comprises a representation of a mood, which is a dynamic aspect of a personality.

111. (Previously Amended) A method according to claim 91, wherein said desired personality comprises a true personality of said user.

B2
112. (New) A method of virtual personality interaction with an Internet, comprising:
tracking interactions of the user with an Internet;
analyzing said tracked interactions to determine at least a part of a user profile;
requesting an interaction, with the Internet;
selecting a site to access responsive to the request and the user profile; and
providing the user with content of the selected site responsive to the request.

113. (New) A method according to claim 112, wherein selecting the site to access comprises consulting a name server,

114. (New) A method according to claim 1, wherein the at least one attribute of the display format determined responsive to the user profile comprises one or more display colors.

115. (New) A method according to claim 1, wherein the at least one attribute of the display format determined responsive to the user profile comprises an image quality.

116. (New) A method according to claim 1, wherein the at least one attribute of the display format determined responsive to the user profile comprises a size, amount or density of displayed text.

092/01664 A02

117. (New) A method according to claim 1, wherein determining the display format responsive to the user profile comprises modifying a display format of a browser of the client.

118. (New) A method according to claim 117, wherein modifying the display format of the browser comprises modifying at least one of a help detail level, a menu length or a dialog box format.

119. (New) A method according to claim 32, wherein the plurality of unrelated sites are received from a name server.

120. (New) A method according to claim 32, wherein the at least one trait comprises an average word length.

121. (New) A method according to claim 32, wherein the at least one trait comprises a number or percentage of non-textual objects.

B2 122. (New) A method according to claim 44, wherein determining the ambiance comprises determining the type of words used by the site.

123. (New) A method according to claim 44, wherein determining the ambiance comprises determining a ratio between images and text in the site.

124. (New) A method according to claim 44, wherein determining the ambiance comprises determining the colors used by the site.

125. (New) A method according to claim 44, wherein determining the ambiance comprises determining a number of links, images or multimedia files of the site.

126. (New) A method according to claim 87, wherein processing the search results comprises filtering the search results.

127. (New) A method according to claim 87, wherein processing the search results comprises ordering the search results.

092/01664 A02

128. (New) A method of Internet interaction, comprising:
requesting by a user a response from a web site;
generating a response to the request, by the web site;
providing the web site response to a persona server, which determines modifications to the generated response, responsive to personal information associated with the user; and
presenting the generated response, to the user, modified according to the determination of the persona server.
129. (New) A method according to claim 128, wherein the response of the web site comprises search results from a search engine.
130. (New) A method according to claim 101, wherein the terminal is implemented by the computer.
131. (New) A method of interacting with an Internet server, comprising:
providing a user profile of a user's desired personality on a user terminal, through which a user interacts with the Internet;
transmitting the user profile from the terminal to an Internet server, along with a request for Internet site data; and
providing the user terminal with the requested Internet site data, modified responsive to the user profile.
132. (New) A method according to claim 131, wherein providing the user profile comprises reading the user profile from a portable computer-readable storage media.
133. (New) A method according to claim 131, wherein the user profile comprises a representation of a persona, which is a static aspect of a personality.
134. (New) A method according to claim 91, wherein said software modifies its functionality responsive to said representation of said personality.

092/01664 A02

B2

135. (New) A method according to claim 1, wherein the at least one attribute comprises a visual attribute.
